

W181 ROCK POWDER

PROPERTIES

Rock powder, with fortifying, rebalancing and strengthening action for plants and soils. It is suitable for any type of cultivation and soil.

APPLICATION

Dosage: I kg/ha (2.2 lb./2.5 acres) to be diluted in approx. 200-250 litres (50-65 gallons) of water. **Spray the GARDEN VEGETABLES** as a **preventative** measure every 30 days approx. **In case of emergency** treat every I-3 days for 3-4 times, depending of the seriousness of condition. If needed, repeat this cycle of applications. It is advisable to check carefully for the presence of **WILD PLANTS/WEEDS WITHIN YOUR VEGETABLE CROPS.**

STORAGE: Keep the product dry and well sealed. Keep out of the reach of children.

AVAILABLE IN: 3 kg (6.6 lbs), 5 kg (11 lbs), 10 kg (22 lbs), 25 kg (55 lbs) packs.

For information on the correct application in specific soil and climate conditions and cultivation methods, please contact our technical support office.

USAGE

To avoid possible clogged sprayer nozzles, or excessive wear of the pump's bearings, pour approx. I kg/ha (2.2 lb.) of powder into a bucket and add 10/15 litres (2.64-4 gallons) of water. Stir briefly, close and wait at least 20-30 minutes. Use only the liquid part, leaving the bottom sediment in the bucket. If you use more fortifiers at the same time, add more water in the solution.

Alternatively, use fine grain filter or put the rock powder soaking into a nylon stocking, or into a cotton bag for 20-30 minutes, then drain using only the liquid part.

NOTICE

Please note that the usage of the specific products on the plants and the soil needs to always be used within the whole **Trinium** agricultural method, otherwise they will not be effective. The products must also be contained and applied using barrels and pumps free of any residue of non-Widdar products. Barrels must be thoroughly washed with caustic soda or, alternatively, treated internally and externally with **W121 ROCK POWDER** fortifier.

This product is neither a biocide or a herbicide so it is essential to use appropriate mechanical weeding. When using chemical or other herbicides, add Widdar product W04 BALANCING FERTILIZER to the basic products.

If it rains during the 3 hours following the application of Widdar products the effectiveness of the treatment is reduced by about 20%. **If it rains within 2 hours** the products will be ineffective and will have to be reapplied.

AVERAGE MINERALOGICAL ANALYSIS		OTHER CHARACTERISTICS	
QUARTZ	20-40%	MOISTURE	<5%
CALCITE	5-30%	рН	6,5-7%
SODIUM FELDSPAR	5-35%	Certified by bioagri inputs	
POTASSIUM FELDSPAR	5-30%		
OTHER	5-20%	* Method licensed from EUI	REKA Coop.

This product is included at point 5) and listed in Annex I of Italian Ministerial Decree 18354 of 27/11/2009 setting out the arrangements for the implementation of EC Regulations no. 834/2007, no. 889/2008, no. 1235/2008 and later additions and amendments concerning organic production. Product not subject to authorization by the Italian Health Ministry as per Ministerial Decree 18/07/2018, n. 6793 and Presidential Decree 28/02/2012 no. 55.