

# W106 ROCK POWDER

#### **PROPERTIES**

Rock powder, with fortifying, rebalancing and strengthening action for plants and soils. It is suitable for any type of cultivation or soil.

## **APPLICATION**

WIDDAR WI06 ROCK POWDER is recommended to improve resistance to SUDDEN TEMPERATURE DROPS. Apply I kg (2.2 lbs) WI06 ROCK POWDER diluted in approx. 200-250 litres (50-65 galles) of water for each hectare (2.5 acres). Spray WI06 ROCK POWDER preventatively or immediately afterwards, every 2 or 3 days, preferably in the morning. After every 2 or 3 treatments, apply WI06 ROCK POWDER together with WI01 ROCK POWDER (for its balancing influence), especially if the cold weather persists and the plants are fragiles.

STORAGE: Keep the product dry and well sealed. Keep out of the reach of children. AVAILABLE IN: 3 kg (6.6 lbs), 5 kg (11 lbs), 10 kg (22 lbs), 25 kg (55 lbs) packs.

For information on the correct application in specific soil and climate conditions and cultivation methods, please contact our technical support office.

#### **USAGE**

Rock powder can be diluted in two ways:

- Pour the powder in the sprayer barrel in this dosage: I kg/ha (2.2 lb./2.5 acres) to which you add 200/250 litres (50-65 gal.) of water. After about 30 minutes, the product will be ready to be sprayed.
- In the event of clogged sprayer nozzles, or excessive wear of the pump's bearings, pour the powder into a bucket, add 10/15 (2.64-4 gallons) litres of water, stir 2-3 times and after about 30 minutes, pour the solution into the sprayer barrel using a suitable filter. Lastly, add the rest of the water.

Please note that the diluted solution does not expire when kept in a tightly closed tank.

### **NOTICE**

Please note that the usage of the specific products on the plants and the soil needs to always be used within the whole **Trinium** agricultural method, otherwise they will not be effective. The products must also be contained and applied using barrels and pumps free of any residue of non-Widdar products. Barrels must be thoroughly washed with caustic

**If it rains during the 3 hours following the application** of Widdar products the effectiveness of the treatment is reduced by about 20%. **If it rains within 2 hours** the products will be ineffective and will have to be reapplied.

RISTICS

<5%

6.5-7%

AVERAGE MINERALOGICAL ANALYSIS		OTHER CHARACTER
QUARTZ	20-40%	MOISTURE
CALCITE	5-30%	рН
SODIUM FELDSPAR	5-35%	
POTASSIUM FELDSPAR	5-30%	
OTHER	5-20%	Certified by <b>bio</b>

<sup>\*</sup> Method licensed from EUREKA Coop.

This product is included at point 5) and listed in Annex I of Italian Ministerial Decree 18354 of 27/11/2009 setting out the arrangements for the implementation of EC Regulations no. 834/2007, no. 889/2008, no. 1235/2008 and later additions and amendments concerning organic production. Product not subject to authorization by the Italian Health Ministry as per Ministerial Decree 18/07/2018, n. 6793 and Presidential Decree 28/02/2012 no. 55.